



The Mysterious & Troublesome Appendix

Jonathan Emerson Kohler

Asst. Professor of Surgery & Pediatrics
Director of Project ECHO, UW Surgery

Project Echo for Pediatric Care 2018-2020
The mysterious and troublesome appendix
February 21, 2019
Jonathan Kohler, MD

Provided by the University of Wisconsin–Madison Interprofessional Continuing Education Partnership (ICEP)

Intended Audience:

Pediatric emergency care professionals

Objectives:

As a result of this educational regularly scheduled series, learners will be able to:

1. Utilize new skills and guidelines determined to be safe for children when accessing pediatric trauma.
2. Identify proper tools and standardized practices in order to improve the diagnosis and treatment of pediatric patients.
3. Define roles and responsibilities of team members who triage pediatric emergencies in order to identify communication strategies that result in effective patient care.

Policy on Disclosure

It is the policy of the University of Wisconsin–Madison ICEP that the faculty, authors, planners, and other persons who may influence content of this CE activity disclose all relevant financial relationships with commercial interests* in order to allow CE staff to identify and resolve any potential conflicts of interest. Faculty must also disclose any planned discussions of unlabeled/unapproved uses of drugs or devices during their presentation(s). For this educational activity, all conflicts of interest have been resolved and detailed disclosures are listed below.

- * The University of Wisconsin–Madison ICEP defines a **commercial interest** as any entity producing, marketing, re-selling, or distributing health care goods or services consumed by, or used on, patients. The University of Wisconsin–Madison ICEP does not consider providers of clinical service directly to patients to be commercial interests.

Name/Role	Financial Relationship Disclosures	Discussion of Unlabeled/Unapproved uses of drugs/devices in presentation?
Jonathan Kohler, MD Presenter, Chair	No relevant financial relationships to disclose	No
Veronica Watson Coordinator	No relevant financial relationships to disclose	No
Randi Cartmill, Coordinator	No relevant financial relationships to disclose	No
Benjamin Eithun, MSN, RN, Coordinator	No relevant financial relationships to disclose	No
Kim Sprecker, OCPD Staff	No relevant financial relationships to disclose	No
Jonathan Kohler, MD, Presenter	No relevant financial relationships to disclose	No
	No relevant financial relationships to disclose	No



Accreditation Statement

In support of improving patient care, the University of Wisconsin–Madison ICEP is jointly accredited by the Accreditation Council for Continuing Medical Education (ACCME), the Accreditation Council for Pharmacy Education (ACPE), and the American Nurses Credentialing Center (ANCC) to provide continuing education for the healthcare team.

Credit Designation Statements

American Medical Association (AMA)

The University of Wisconsin–Madison ICEP designates this live activity for maximum of 1.0 AMA PRA Category 1 Credits™. Physicians should claim only the credit commensurate with the extent of their participation in the activity.

American Nurses Credentialing Center (ANCC)

The University of Wisconsin–Madison ICEP designates this live activity for a maximum of 1.0 ANCC contact hours. The University of Wisconsin–Madison School of Nursing is Iowa Board of Nursing provider 350.

Continuing Education Units (CEUs)

The University of Wisconsin–Madison ICEP, as a member of the University Professional & Continuing Education Association (UPCEA), authorizes this program for 0.1 CEUs or 1 hour.

Disclaimer: All photos and/or videos included in the following presentation are permitted by subjects or are not subject to privacy laws due to lack of patient information or identifying factors

Claiming credit

Follow the instructions below, and contact us at projectecho@surgery.wisc.edu with any questions.

1. Create account with the UW Interprofessional Continuing Education Partnership

<https://ce.icep.wisc.edu>

2. During the live presentation, and in the follow-up email, you will be provided a code. Text that code to a number we provide you, using a cell phone associated with your account.

Text **WENBOH** to 608-260-7097

(save this number as **ECHO Credit**, it will never change)

3. All done!! Log onto ICEP to view or print your credit letter.

Appendicitis


- 7-9% lifetime risk
- Appendectomy is most common urgent surgical procedure in children (and probably adults too)
- Yet it remains a mystery in many ways

A kid comes in with abdominal pain


- 12 year-old otherwise healthy boy
- Started yesterday with vague peri-umbilical pain
- Moved down into the right lower quadrant
- Fevers, nausea, vomiting since the pain started
- Anorexia



The Textbooks



The Reality



A kid comes in with abdominal pain

- 12 year-old otherwise healthy girl
- Started a week ago with vague peri-umbilical pain
- Now localized in the low pelvis
- Fevers but no nausea since the pain started, diarrhea
- Poor appetite but hungry

Gastroenteritis vs. Appendicitis

- Sometimes the distinction is clear
- More often it is not
- Gastroenteritis: gets better, more systemic signs, sick contacts, WBC often normal
- Appendicitis: generally does not get better, more focal exam, WBC usually abnormal
- Toddlers are impossible

Other Badness



- Testicular torsion
- Testicular torsion
- Testicular torsion
- Bowel obstruction
- Ovarian pathology/ectopic pregnancy
- Medical disease (HUS, ketoacidosis, sickle cell, nephrolithiasis, PID, pneumonia, UTI)


To the Answering Machine!


- Ultrasound
 - A flashlight in a big dark room
 - Sometimes good at seeing the appendix
 - If it does, NPV/PPV nearly perfect
 - Not seeing the appendix can be instructive too
- CT
 - A light switch for radioactive light bulbs
 - Very good at diagnosis with IV contrast only
- MRI
 - A light switch for expensive LED bulbs that not everyone has
 - Reported high success at diagnosis, but can't see appendicoliths


Perf vs. Non-Perf

- Perforation: A hole in the wall of the appendix, an appendicolith in the abdomen, or feculent peritonitis. Abscess risk ~20%. Antibiotics until recovered, MRI if not doing well by POD 5-7.
- No perforation: Home when ready, no more antibiotics, low abscess risk (~1%?), phone follow-up if desired.









To Cut or Not to Cut?

- Non-op candidates:
 - No evidence of perforation on imaging
 - No appendicolith
 - Not septic or peritoneal
 - WBC >5,000, <18,000
 - Not advanced disease
 - < 48 hours of symptoms
 - <1.1cm diameter, compressible
 - Not pregnant

Antibiotics

- If the diagnosis is uncertain: no antibiotics
- If planning for surgery:
 - Ceftriaxone 50mg/kg to max 2g, q24 hours
 - Metronidazole 30mg/kg to max 1g, q24 hours
- Antibiotics alone:
 - Ceftriaxone/Flagyl x 2 doses or
 - Zosyn x 24 hours
 - Finish 7 days with Augmentin or Omnicef


Laparoscopic Appendectomy (SILS)



Lap Appy (3-port)



Open Appendectomy (as I recall)



Post-operative Management

- Antibiotics only if perforated and elevated WBC
- Local anesthetic (bupivacaine) +/- ketorolac
- Absorbable sutures
- Dressing vs. glue
- No soaking for 7 days
- No firm activity restrictions
- No opioids at home
- Watch for wound infections
- Abscess formation around days 5-7

Questions & Comments!

